







Introduction





Ferco lever handle sets are uniquely designed to operate on multipoint door locks. Our handle sets withstand the rigourous everyday operational wear & tear of engaging or disengaging multiple lock points. Our handle sets are designed for long term use!


- Patented handle snap-rings allow for handles to be shipped non-handed. The manufacturer no longer has to worry about ordering left or right, and will save on inventory.
- Handle setscrews to fasten spindles combined with the snap-ring will ensure the handle will stay tight on the door for a long time.
- Self centering 8mm split Spindle to make sure it is always centered into the door.
- Longer Screw ports on escutcheons: Ferco has added an interior sleeve port that will guide the M5 mm screw straight to the opposing exterior screw port.
- Exterior O-ring on handle shaft to prevent water from entering around the exterior handle.
- Washers between handle and escutcheon making sure the handle operation is and remains smooth.
- Escutcheon Foam gasket to prevent air and cold.
- Rubber gasket (Order separately) to prevent air and water leakage around the exterior escutcheon.
- Schlage Cylinder with one tail for both 1 ¾" and 2 ¼" thick doors
- M5 handle set screws to fasten the escutcheons included in every handle set kit.
- Handle above cylinder or handle below cylinder option
- FERCO handle sets available in Solid Brass or economical zinc die-cast material with selections in many plate designs, lever styles and finishes.

Finishes For Handle Set Program

- US-Cylinder Above Handle



FERCO




* information in this document can be modified without notice. Finishes Handle Sets Program_03-2021

Finishes For Handle Set Program

- US-Cylinder Above Handle







Colors on this document are graphic representation and may not be an exact match for the actual painted/plated hardware.

For color selection, material samples are available on request.

03

information in this document can be modified without notice. Finishes Handle Sets Program_03-2021

ALLEGRO Handles & 30mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Handle sets for active doors with US-cylinder 1 K-U3192-01-0-*

Handle sets for semi-active doors 1 K-U3146-00-0-*

Handle sets for fixed doors 1 K-U3110-00-0-*

*= Color PU = Packaging Unit


01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

ALLEGRO Zamac Trim Kits		
Description	PU	Part Number
Handle sets for active doors with US-cylinder	1	K-U5192-Z1-0-*
Handle sets for semi-active doors	1	K-U5146-Z0-0-*
Handle sets for fixed doors	1	K-U5110-Z0-0-*
* = Color	PU = Pa	ickaging Unit

01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 30mm Plates



FERCO




Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,

05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits

Description

Handle sets for active doors v	1	K-U5492-Z1-0-*	
Handle sets for semi-active d	oors	1	K-U5446-Z0-0-*
Handle sets for fixed doors	Handle sets for fixed doors		
	* = Color	PU = Pa	ckaging Unit
01 = Satin Chrome, 5 = Dark Bron	ze PC, 6 = Black PC, 7	= White F	PC, 28 = Pewter
01	5 6 7	28	
K-U5492-Z1-0-*	K-U5446-Z0-0-*		K-U5410-Z0-0-*

PU

Part Number

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Handle & 30mm Plate







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- VENICE Solid Brass Trim Kits


 Description PU Part Number

 Handle sets for active doors with US-cylinder 1 K-U3692-01-0-*

 Handle sets for semi-active doors 1 K-U3646-00-0-*

 Handle sets for fixed doors 1 K-U3610-00-0-*

 * = Color PU = Packaging Unit
- 01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

Description

Description		PU	Part Number	
Handle sets for active doc	Handle sets for active doors with US-cylinder			
Handle sets for semi-activ	ve doors	1	K-U5646-Z0-0-*	
Handle sets for fixed door	Handle sets for fixed doors			
* = Color PU = Packaging Unit				
01 = Satin Chrome, 5 = Dark I	Bronze PC, 6 = Black PC, 7	= White I	PC, 28 = Pewter	
01	5 6 7	28	ı	
K-U5692-Z1-0-*	K-U5646-Z0-0-*	>	K-U5610-Z0-0-*	

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

PI Part Number

CAPRI Handles & 45mm Plates







Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

CAPRI Solid Brass Trim Kits

Description	ption PU Part Num	
Handle sets for active doors with US-cylinder	1	K-U6292-01-0-*
Handle sets for semi-active doors	1	K-U6246-00-0-*
Handle sets for fixed doors	1	K-U6210-00-0-*
* = Color	PU = Pa	ckaging Unit

 $01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, \\11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter$




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

CAPRI Zamac Trim Kits

Description	PU Part Number	
Handle sets for active doors with US-cylinder	1	K-U7292-Z1-0-*
Handle sets for semi-active doors	1	K-U7246-Z0-0-*
Handle sets for fixed doors		K-U7210-Z0-0-*
* = Color	PU = Packaging Unit	

5 = Dark Bronze PC, 6 = Black PC, 7 = White PC



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Handles & 45mm Plates








Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

TORINO Solid Brass Trim Kits					
Description	PU	Part Number			
Handle sets for active doors with US-cylinder	1	K-U6492-01-0-*			
Handle sets for semi-active doors	1	1 K-U6446-00-0-*			
Handle sets for fixed doors 1 K-U6410-00-0-*					
* = Color PU = Packaging Unit					
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass,					

- 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter




- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

TORINO Zamac Trim Kits



Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



K-U7446-Z0-0-*

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle

K-U7492-Z1-0-*

K-U7410-Z0-0-*

VENICE Handle & 45mm Plate



Part Number






Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

Handle sets for active do	ors with U	S-cylinde	r 1		K-U6692-0	1-0-*
Handle sets for semi-act	1		K-U6646-0	0-0-*		
Handle sets for fixed do	ors		1		K-U6610-0	0-0-*
	*=	Color	PL	l = Pa	ckaging Unit	
01 = Satin Chrome, 03 = Polished Brass, 04 = Antique Brass, 05 = Oil Rubbed Bronze, 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter						
01 03	04	05 1	11	25	28	

PU



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

VENICE Zamac Trim Kits

VENICE Solid Brass Trim Kits

Description




Additional information

- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

Description PU Part Number Handle sets for active doors with US-cylinder K-U7692-Z1-0-* K-U7646-Z0-0-* Handle sets for semi-active doors Handle sets for fixed doors K-U7610-Z0-0-*

PU = Packaging Unit

* = Color 01 = Satin Chrome, 5 = Dark Bronze PC, 6 = Black PC, 7 = White PC, 28 = Pewter



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 1 3/4" and 2 1/4" thick doors
- US-cylinder above handle

ROMA Handle & 55mm Plates



Part Number





Handle sets for active doors with US-cylinder 1 K-U4092-01-0-* Handle sets for semi-active doors 1 K-U4046-00-0-* Handle sets for fixed doors 1 K-U4010-00-0-* Handle sets for smart lock 1 K-U4092-D0-0-* * = Color PU = Packaging Unit 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter 11 25 28
Handle sets for fixed doors 1 K-U4010-00-0-* Handle sets for smart lock 1 K-U4092-D0-0-* * = Color PU = Packaging Unit 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter
Handle sets for smart lock * = Color PU = Packaging Unit 1
* = Color PU = Packaging Unit 11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter
11 = Satin Nickel, 25 = Dark Bronze, 28 = Pewter
11 25 28
K-U4092-01-0-* K-U4092-01-0-* K-U4010-00-0-*

PU

Additional information

- Unassembled solid brass trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle

- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle


ROMA Solid Brass Trim Kits

Description

■ Compatible with Danalock V3 smart lock



- Unassembled zamac trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- Self-centering 8mm spindle



- Stainless steel set screw on levers to secure spindle
- Patented handle clipping system
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above handle
- Compatible with Danalock V3 smart lock

VIKING - ROMANCE Handles & 40mm Plates

Antique Series







- Unassembled trim kits
- US-cylinder with standard 5 pins Schlage "C" keyway
- 90° locking with thumb-turn
- 8mm spindle
- Stainless steel set screw on levers to secure spindle
- Kit for 13/4" and 21/4" thick doors
- US-cylinder above and below handle



VIKING Trim Kits					
Description		PU	Part Number		
Handle sets for active doc	ors with US-cylinder	1	K-C9708-US-0-*		
Handle sets HA for active doors with US-cylinder		1	K-C9718-US-0-*		
Handle sets for semi-activ	Handle sets for semi-active doors				
Handle sets for fixed doors			K-C9708-00-0-*		
	* = Color	PU = Pa	ackaging Unit		
6 = Black, 08 = Pewter	6 08				
K-C9708-US-0-*	K-C9708-46-0-*		© 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		

ROMANCE Trim Kits				
Description		PU	Part Number	
Handle sets for active doors	s with US-cylinder	1	K-C9709-US-0-*	
Handle sets HA for active doors with US- cylinder			K-C9719-US-0-*	
Handle sets for semi-active doors			K-C9709-46-0-*	
Handle sets for fixed doors			K-C9709-00-0-*	
	* = Color	PU = Pa	ackaging Unit	
6 = Black, 08 = Pewter	6 08			
K-C9709-US-0-*	K-C9709-46-0-*		K-C9709-00-0-*	

Strike Plates

for Door Lock







Top and Bottom Striker with Extended Lip					
Description			PU	Part Number	
Latchbolt strike plate for 45mm (1 3/4") thick doors			10	9-C4776-45-0-*	
Latchbolt strike plate for 57mm (2 1/4") thick doors			10	9-C4776-57-0-*	
* = Color PU = Packaging Unit					
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter					
03 04	5	6	11	28	

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Exter	nded Lip		
Description		PU	Part Number
Latch and deadbolt strike plate for 45mm (1 3/4") thick doors		10	9-C4777-45-0-*
Latch and deadbolt strike plate for 57mm (2 1/4") thick doors		10	9-C4777-57-0-*
	* = Color	PU = P	ackaging Unit
03 = Polished Brass, 04 = Antique Brass, 5 = Dark Bronze, 6 = Black, 11 = Satin Nickel, 28 = Pewter			ack,
03 04	5 6	11	28

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Non-handed
- With clear protective film
- Available in handle matching finishes
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY SH2, S-Bolt, Automatic and mortise door locks

Strike Plates

for Door Lock








Description			PU	Part Number
Bag of strike plates for 45mm (1 3/4") thick doors			50	K-C4774-45-0-*
Bag of strike plates for 57mm (2 1/4") thick doors			50	K-C4775-57-0-*
	* = Colo	or	PU = P	ackaging Unit
03 = Polished Brass, 04 = Antique B 11 = Satin Nickel, 28 = Pewter	Brass, 5 = 1	Dark Bro	nze, 6 = Bla	ack,
03 04	5	6	11	28

Additional information

- Solid brass (03, 04, 28) or stainless steel (5, 6, 11)
- Bag contains:
 - -1 middle striker with extended lip and clear protective film
 - 2 top and bottom strikers with extended lip and clear protective film
 - 6 screws
- Non-handed
- Available in handle matching finishes
- For use with GU-SECURY Automatic door locks



Description		PU	Part Number
Bag of strike plates for 76mm (3") thick doors		1	K-C4777-59-0-*
	* = Color	PU = F	ackaging Unit
8B = Stainless Steel			
	8B		
	8D		

- Made in stainless steel
- Bag contains:
 - 1 middle striker with extended lip
 - 2 top and bottom strikers with extended lip
- Non-handed
- For use with GU-SECURY Automatic door locks

Strike Plates

for Door Lock








Description		PU	Part Number
Latchbolt strike plate for 76mm (3") thick doors		10	9-C4716-59-0-*
	* = Color	PU = P	ackaging Unit
8B = Stainless Steel			
	8B		

Additional information

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock



Middle Striker with Extended Lip			
Description		PU	Part Number
Latch and deadbolt strike plate for 76mm (3") thick doors		10	9-C4717-59-0-*
	* = Color	PU = P	ackaging Unit
8B = Stainless Steel			
	8B		

- Made in stainless steel
- Non-handed
- Two #8 x 5/8 FH/PH screws included
- For use with GU-SECURY Automatic door lock

Accessories

for Construction







Construction Handle Set			
Description	Color	PU	Part Number
Construction handle	Black	25	K-C9250-25-0-6
	* = Color	PU = Pa	ckaging Unit

Additional information

- Reinforced nylon temporary door trim sets
- 8 x 8 x 90mm square spindle included
- 4.2 x 50mm screws included
- For 13/4" thick doors
- Locking/Unlocking from inside only



Construction Key			
Description	Color	PU	Part Number
Construction key	Black	10	9-U0001-01-0-0
	* = Color	PU = Pa	ckaging Unit

Additional information

The construction key is available for those who prefer to install the decorative hardware trim and lever sets on doors after the construction has been completed. Installing the escutcheon plates and levers in the final stage of construction prevents the decorative trim from becoming scratched or damaged.

The construction key has been designed to accommodate multipoint door hardware (8mm square), tilt-turn hardware (7mm square) and lift-slide hardware (10mm square).



FERCO	